




PROTECT YOU & WORLD
Machines for Making Medical Products

www.ccmc.com.tw

ABOUT US

Colossal Career since established in 1970, has been engaged in making the medical machines for over 50 years. Based on our professional creativity and continued development, we have transformed our company from a traditional manufacturer into a high tech automatic producer. For our quality, we have been **ISO 9001** verified and our machines, exported to the European areas, are **CE** verified as well.

The machines made by our company for producing First aid adhesive plaster, Hydro-gel dressing, Hydrocolloid Dressing, PU Dressing/Micropore, Cool pad patch, Controlled Release Drug Delivery plaster patch, absorbent dressing, Tab Electrode Making Machine, Plaster packing Machine (Zipper Bag), etc. has been worldly recognized. Our products are well noted for their functions, precision and stability and have obtained quite a number of patents for their outstanding design and performance.

We adhere to the purpose of reaching “Customers First” and “Quality First”: It is capable of meeting the era leading requirements for medical products, providing our buyers with made-to-order professional machines and excellent after-sale service to meet their specific needs. And so thus our market has been expanded globally to more than 40 countries.

關於建志機械

台灣建志機械自1970年成立迄今，已有50年之歷史，由於秉持專業與不斷創新研發之精神，使本公司從傳統機械製造業，成功轉型為結合高科技應用於自動化控制之現代化公司，我們已通過 **ISO 9001** 品質認證，銷往歐洲之設備並經 **CE** 認證。

本公司所開發之創可貼、水凝膠敷料、人工皮敷料、防水敷料貼布、巴布膏酸痛貼布、藥用經皮吸收貼片、止血棉墊、電極片製造機、夾鏈袋包裝機等外科用貼布/敷料之專業機械設備，其性能、精密度及穩定性高，已獲得多項專利。

本公司以客為尊，可迎合劃時代之醫療產品需求，提供客製化之專業機械設備，並重視售後服務，因而受到國際肯定，行銷已遍及全球五大洲，超過40幾個國家。

• Canada

• United States

• Honduras

• Venezuela

• Chile

INDEX

Wound Dressing

- 3 DC-306NR / DC-306NI
- 4 DC-313NR-P-01 / DC-303-01
- 5 DC-313LR-P / DC-313MR-P
- 6 DC-313SR-P / DC306FR-P
- 7 DC-313NR-P
- 8 DC-313A-P / DC-313G-P /
CM-105-P / CM-133

Medicated Plaster

- 9 DC-303HC-06
- 10 DC-303G / DC-303I
- 11 DC-308R-P / DC-308R
- 12 DC-306-01 / DC-306-02
- 13 DC-310N-P
- 14 DC-310M-P / DC-310E-P
- 15 CM-111C / CM-144
- 16 DC-312-P

ECG Tab Electrode

- 17 CM-145 / CM-160
- 18 CM-151 / CM-152

Markets Served

Customers around the globe rely on our products and are found in over 40 countries distributed throughout Asia, North America, Central America, South America, Europe, Africa and the Middle East.

Machines for Making Medical Products



HIGH SPEED

DC-306NR

First Aid Adhesive Plaster Making Machine

Computerized Rotary Design

Defect detection system for (Joints, cotton pad without alignment)

創可貼製造機電子滾刀式



Taiwan Patent No. M274086, M513104, M480435

China Patent No. ZL200520011367.X, ZL201420715301.8

DC-306NI

First Aid Adhesive Plaster Making Machine

Rotary Design

創可貼製造機滾刀式



Taiwan Patent No. M318407, M513104, M480435

China Patent No. ZL200720140159.9, ZL201420715301.8

Max.Width of Plaster : 80mm

The product is to produce based on the buyer's specified specifications (One product size only for one machine, extra size optional.)

Max. Speed : 2000pcs (40M) /min

(Based on 20 x 72mm, PVC, PE)

According to the material used & product size.

Motor : 2.5hp x 1, 1hp x 3, 1/2hp x 3

HMI : Color 8.4"



Dimensions : L4000 x W1100 x H2300mm

N.W. : 2100kgs

Optional : Heat sealing unit / Perforating unit /

Converting printed image / Rewinder /

Cotton waste rewinding



Max.Width of Plaster : 80mm

The product is to produce based on the buyer's specified specifications (One product size only for one machine, extra size optional.)

Max. Speed : 800pcs (16M) /min

(Based on 20 x 72mm, PVC, PE)


According to the material used & product size.

Motor : 2hp x 1, 1/2hp x 1

Dimensions : L2700 x W1100 x H2100mm

N.W. : 1600kgs

Optional: Heat sealing unit/Perforating unit



Max. Length of Product : 120mm

Max. Width of Product : 160mm

Max. Length of Packing : 160mm

Max. Width of Packing : 220mm

Product Size : 120 x 120mm

The product is to produce based on the buyer's specified specifications (One product size only for one machine, extra size optional.)

Max. Speed : 60pcs/min (Based on 120 x 120mm)

According to the material used & product size.

Motor : 2.5hp x 1, 1.3hp x 1, 1hp x 4, 1/2hp x 2

Heater : 4.4kw

HMI : Color 8.4"

Dimensions : L3700 x W1300 x H2300mm

N.W. : 3000kgs



Taiwan Patent No. M506700 , M480435

China Patent ZL201520346186.6



Max. Width of Coating : 320mm

The product is to produce based on the buyer's specified specifications (One product size only for one machine, extra size optional.)

Range of Speed : 1 ~ 10M/min

According to the material used & product size.

Motor : 1hp x 1, 1/4hp x 2

HMI : Color 8.4"

Dimensions : L2800 x W1200 x H1800mm

N.W. : 1200kgs

DC-303-01

Hydrogel / Hydro-Colloid Coating Machine

水凝膠上膠機



Taiwan Patent No. M397383 , M399033

China Patent No. ZL201020524532.2 , ZL201020543753.4

DC-313LR-P

Wound Pad Cutting & Packing Machine

敷料切片製造包裝機



Taiwan Patent No. M427265 , M480435

China Patent No. ZL201220029776.2



Max. Length of Plaster : 100mm

Max. Width of Plaster : 300mm

Max. Length of Packing : 135mm

Max. Width of Packing : 350mm

Product Size : 100 x 300mm

The product is to produce based on the buyer's specified specifications (One product size only for one machine, extra size optional.)

Max. Speed : 70pcs/min (Based on 100 x 300mm)
According to the material used & product size.

Motor : 2.5hp x 1, 1.3hp x 1, 1hp x 3, 1/2hp x 3

Heater : 4.8kw

HMI : Color 8.4"

Dimensions : L4000 x W1300 x H2300mm

N.W. : 2500kgs

DC-313MR-P


Wound Pad Cutting & Packing Machine

敷料切片製造包裝機



Taiwan Patent No. M427265 , M480435

China Patent No. ZL201220029776.2



Max. Length of Plaster : 100mm

Max. Width of Plaster : 200mm

Max. Length of Packing : 135mm

Max. Width of Packing : 250mm

Product Size : 100 x 200mm

The product is to produce based on the buyer's specified specifications (One product size only for one machine, extra size optional.)

Max. Speed : 80pcs/min (Based on 100 x 200mm)
According to the material used & product size.

Motor : 2.5hp x 1, 1.3hp x 1, 1hp x 3, 1/2hp x 3

Heater : 3kw

HMI : Color 8.4"

Dimensions : L3400 x W1200 x H2300mm

N.W. : 2100kgs



Max. Length of Product : 250mm

The product is to produce based on the buyer's specified specifications (One product size only for one machine, extra size optional.)

Max. Width of Product : 250mm

Max. Length of Packing : 290mm

Max. Width of Packing : 300mm

Max. Speed : 80pcs/min (Based on 100 x 200mm)

According to the material used & product size.

Motor : 1.3hp x 1, 1hp x 3, 1/2hp x 5

Heater : 4kw

HMI : Color 8.4"

Dimensions : L4300 x W1200 x H2300mm

N.W. : 2500kgs



Taiwan Patent No. M427265, M480435

China Patent No. ZL201220029776.2



Product Size : 84 x 54mm

The product is to produce based on the buyer's specified specifications (One product size only for one machine, extra size optional.)

Max. Production Speed : 100pcs/min

According to the material used & product size.

Motor : 1hp x 5, 1/2hp x 3

Heater : 3.5kw

HMI : Color 8.4"

Dimensions : L3600 x W1100 x H2300mm

N.W. : 2100kgs



Taiwan Patent No. M480435, M427265

China Patent No. ZL201220029776.2

DC-313NR-P

PU Film Dressing / Micropore Making Machine

Computerized Rotary Design

PU膜敷料(視窗防水型)製造包裝機

電子滾刀式

- Tension of material is controlled by LOADCELL.
- A number of servo motors on the machine are precisely synchronized for revolving.
- HMI (Human Machine Interface) makes positioning of product much easier.
- Shaping, cutting and sealing, etc. are done by cutting roller and products are possible to be made in various shapes.
- Machine will automatically stop as soon as running out of material is detected by auto sensor.
- Positioned cutting can be done by detecting the printing mark on packing paper sensed by photoelectric.
- Sealing is firmly done by adopting the box motion packing.
- Machine designed in upright position to facilitate operating the machine for production. And it is easy to change for making different specification of products including doing regular maintenance.



Product Size : 40 x 50mm ~ 100 x 120mm

The product is to produce based on the buyer's specified specifications (One product size only for one machine, extra size optional.)

Max. Speed : 60pcs/min (Based on 100 x 120mm)

According to the material used & product size.

Motor : 1hp x 5, 1/2hp x 3, 1.3hp x 1

Heater : 2.5kw


HMI : Color 8.4"

Dimensions : L4000 x W1100 x H2300mm

N. W. : 2600kgs



Taiwan Patent No. M427265 , M480435
China Patent No. ZL201220029776.2



DC-313A - P

Wound Pad Cutting &
Packing Machine

敷料切片包裝機

Product Size : 100 x 100mm

The product is to produce based on the buyer's specified specifications (One product size only for one machine, extra size optional.)

Max. Speed : 90pcs/min


According to the material used & product size.

Motor : 1hp x 1, 1/2hp x 1

Heater : 1.2kw

Dimensions : L2400 x W1300 x H2100mm

N.W. : 1200kgs



CM-105 - P

Absorbent Dressing
Making & Packing Machine

止血棉墊製造包裝機

Product Size : 100 x 120 ~ 200 x 400mm

The product is to produce based on the buyer's specified specifications (One product size only for one machine, extra size optional.)

Max. Speed : 30pcs/min

According to the material used & product size.

Motor : 1hp x 3, 1/2hp x 3

Heater : 1.6kw

HMI : Color 8.4"

Dimensions : L6500 x W1100 x H2300mm

N.W. : 2000kgs

Taiwan Patent No. M427265

China Patent No. ZL201220029776.2

DC-313G - P

Gauze Folding & Packing Machine

紗布摺疊包裝機



Max. Width of Gauze : 76 x 76mm

The product is to produce based on the buyer's specified specifications (One product size only for one machine, extra size optional.)

Max. Speed : 40~60pcs/min

According to the material used & product size.

Motor : 1hp x 2, 1/2hp x 2

HMI : Color 8.4"

Dimensions : L2400 x W1100 x H2300mm

N. W. : 1500kgs



CM-133

Wound Exudation Dressing Making Machine

Computerized Rotary Design

囊袋式敷料製造機 電子滾刀式

Product Size : 50 x 50 ~ 100 x 200mm

The product is to produce based on the buyer's specified specifications (One product size only for one machine, extra size optional.)

Max. Speed : 35pcs/min (Based on 50 x 50mm)

According to the material used & product size.

Motor : 1hp x 3, 1/2hp x 3

Heater : 3.2kw

HMI : Color 8.4"

Dimensions : L5000 x W1100 x H2300mm

N.W. : 2400kgs

Taiwan Patent No. M338645

China Patent No. ZL200820104721.7


DC-303HC-06

Coating Machine (Oil-based)

(for oil based medicated plaster and pain relief patch)

油性藥布/止痛貼布上膠機

- Tension of material is controlled automatically by LOADCELL.
- A number of servo motors are controlled by inverter for synchronized operation.
- Using hot kerosene inside the roller to force circulating flow and also to make the heat evenly spread on the surface of coating roller.
- Thickness of coating is precise and easy to adjust.
- Ultrared ray baking box can be added if found necessary.
- Direct cutting can be done after laminating of coating which can increase its working efficiency.
- Set up of cutting length can be easily done by touch panel of human machine interface.
- It can also be used for production of elastic fabric.



Max. Width of Coating : 600mm

The product is to produce based on the buyer's specified specifications (One product size only for one machine, extra size optional.)

Range of Speed : 1 ~ 10M/min

According to the material used & product size.


Motor : 4kw x 1, 1hp x 4, 1/2hp x 1

Heater : 12kw

HMI : 5.7"

Dimensions : L6800 x W1800 x H2000mm





Plaster Size : 600mm

Product Size : 105 x 145mm

According to the material used & product size.
The product is to produce based on the buyer's
specified specifications (One product size only
for one machine, extra size optional.)

Speed Range : 1 ~ 15m/min

According to the material used & product size.

Slitting Capacity : 5pcs

Motor : 4hp x 1, 1hp x 2, 1/2hp x 3

HMI : Color 8.4"

Dimension: L3500 x W1800 x H2300mm

N.W.: 2000kgs



Taiwan Patent No. 492321

China Patent No. ZL200420067256.6



This product is made by

DC-3031

2 in 1 Plaster Coating Machine

二合一藥布上膠機

DC-303G

Cool Pad Dressing Coating Machine [Water-based]

冷敷貼布(巴布膏)藥布上膠機

- The structure of the machine is concise, streamlined production with four edges.
- Tension of material is controlled automatically by LOADCELL.
- A number of servo motors on the machine are precisely synchronized for revolving.
- Thickness of coating is precise and ease to adjust.
- It can also be used for production of two way stretching fabric.

Plaster Size : 100 x 120mm

Adhesive Backing Size : 140 x 160mm

The product is to produce based on the
buyer's specified specifications (One product
size only for one machine, extra size optional.)

Max. Speed : 30pcs/min x 2 Line

According to the material used &
product size.


HMI : Color 8.4"

DC-308R-P

Capsicum Plaster Perforating
Cutting & Packing Machine
辣椒膏藥布打孔切片包裝機



Taiwan Patent No. M427265 , M513104
China Patent No. ZL201220029776.2 , ZL201420715301.8



Plaster Size : 180 x 120mm

The product is to produce based on the buyer's specified specifications (One product size only for one machine, extra size optional.)

Packing Size : 220 x 166mm

The product is to produce based on the buyer's specified specifications (One product size only for one machine, extra size optional.)

Max. Speed : 50pcs/min

According to the material used & product size.

Motor : 1hp x 5, 1/2hp x 1

Heater : 3kw

HMI : Color 8.4"

Dimensions : L2800 x W1200 x H2300mm



N.W. : 1800kgs

DC-308R

Capsicum Plaster Perforating
Rewinding & Cutting Machine
辣椒膏藥布打孔複捲切片機



Taiwan Patent No. M338661 , M513104
China Patent No. ZL200820104716.6 , ZL201420715301.8



Max. Width of Plaster : 120mm

The product is to produce based on the buyer's specified specifications (One product size only for one machine, extra size optional.)

Max. Speed : 25m/min; 140pcs/min

(Based on 180 x 120mm)

According to the material used & product size.

Motor : 1hp x 2, 1/2hp x 3

HMI : Color 8.4"

Dimensions : L2000 x W1200 x H2300mm

N. W. : 1100kgs



Ointment : Ø10mm (0.2g)

Product Size : 20 x 70mm

The product is to produce based on the buyer's specified specifications (One product size only for one machine, extra size optional.)

Max. Speed : 200pcs/min

According to the material used & product size.

Motor : 1hp x 5, 1/2hp x 4

HMI : Color 8.4"

Dimensions : L3800 x W1200 x H2300mm

N. W. : 1900kgs

DC-306-01


Corn Caps Plaster Making & Packing Machine

雞眼膏藥布製造包裝機



Taiwan Patent No. M519122 , M480435

China Patent No. ZL201520734723.4



Ointment : Ø11mm (0.2g)

Product Size : 22 x 70mm

The product is to produce based on the buyer's specified specifications (One product size only for one machine, extra size optional.)

Max. Speed : 200pcs/min

According to the material used & product size.

Motor : 1hp x 4, 1/2hp x 3

HMI : Color 8.4"

Dimensions : L2800 x W1100 x H2300mm

N. W. : 1700kgs

DC-306-02

Corn Caps Plaster Making Machine

雞眼膏藥布製造機



Taiwan Patent No. M519122 , M480435

China Patent No. ZL201520734723.4

DC-310N-P

Plaster Packing Machine (Zipper Bag)

夾鏈袋包裝機

- The structure of the machine is concise, streamlined production with four edges.
- Tension of material is controlled automatically by LOADCELL.
- A number of servo motors on the machine are precisely synchronized for revolving.
- HMI (Human Machine Interface) and touch panel adopted on this machine make positioning of product much easier.
- Machine will automatically stop as soon as running out of material is detected by auto sensor.
- Defect product detection device: (Such as when empty pouch or quantity insufficient is detected and then, it will be automatically rejected.)
- Positioned cutting can be done after the printing mark detected by sensor of photoelectric.
- Machine designed in upright position to facilitate the operating for production. And it is easy to change for making different specification of products and also very easy to do regular maintenance.
- Suitable for use on one single roll of packing paper for positioning the correct printing both on front and back side of the packing paper to fit in with each other after cutting.



Plaster Size : 120 x 170mm

The product is to produce based on the buyer's specified specifications (One product size only for one machine, extra size optional.)

Packing Size : 180 x 250mm

The product is to produce based on the buyer's specified specifications (One product size only for one machine, extra size optional.)

Max. Production Speed : 50pack/min

According to the material used & product size.

Motor : 1.3hp x 1, 1hp x 2, 1/2hp x 2

Heater : 2.6kw

HMI : Color 8.4"

Dimensions : L4200 x W1400 x H2300mm

N. W. : 1650kgs



Taiwan Patent No. M427265 , M584296
China Patent No. ZL201220029776.2



DC-310M-P

Packing Machine

包裝機

Product Size : 100 x 100mm

The product is to produce based on the buyer's specified specifications (One product size only for one machine, extra size optional.)

Packing Size : 140 x 155mm

The product is to produce based on the buyer's specified specifications (One product size only for one machine, extra size optional.)

Max. Production Speed : 60packs/min

According to the material used & product size.


Motor : 1.3hp x 1, 1hp x 1, 1/2hp x 2

Heater : 2.1kw

HMI : Color 8.4"

Dimensions : L3600 x W1400 x H2300mm

N. W. : 1400kgs



Product Size : 65 x 40, 70 x 100mm

The product is to produce based on the buyer's specified specifications (One product size only for one machine, extra size optional.)

Max. Speed : 100packs /min

According to the material used & product size.

Motor : 1hp x 4, 1/2hp x 2

Heater : 4.8kw

HMI : Color 8.4"

Dimensions : L3300 x W1400 x H2300mm

N.W. : 2000kgs



Taiwan Patent No. M427265

China Patent No. ZL201220029776.2

- The structure of the machine is concise, streamlined production with four edges.
- Tension of material is controlled automatically by LOADCELL.
- A number of servo motors on the machine are precisely synchronized for revolving.
- HMI (Human Machine Interface) and touch panel adopted on this machine make positioning of product much easier.
- Machine will automatically stop as soon as running out of material is detected by auto sensor.
- Positioned cutting can be done after the printing mark detected by sensor of photoelectric.
- Machine designed in upright position to facilitate the operating for production. And it is easy to change for making different specification of products and also very easy to do regular maintenance.

DC-310E-P

Double Sided Plaster Cutting & Packing Machine

藥布雙面貼合切片包裝機





Taiwan Patent No. M480435

CM-111C

Controlled Release Drug Delivery Plaster
Shape Cutting & Packing Machine

[E.g. Quit-smoking Patch, Pain Relief Patch,
Hypertension Patch, Mosquito Repellent Patch, etc.]

經皮吸收藥布切型包裝機

如:戒菸貼片、止痛貼片、高血壓貼片、防蚊貼片等



Product Size : 27.9 x 38.1mm, 55.9 x 38.1mm,
Ø36mm, Ø40mm

The product is to produce based on the
buyer's specified specifications (One product size
only for one machine, extra size optional.)

Max. Speed : 60pcs/min

According to the material used & product size.

Motor : 1hp x 3

Heater : 1.75kw

HMI : Color 8.4"

Dimension : L2600 x W1200 x H2300mm

N. W. : 1500kgs



CM-144



Controlled Release Drug Delivery
Plaster Shape Cutting &
Packing Machine

[E.g. Pain Relief Patch, etc.]

經皮吸收藥布切型包裝機

如:止痛貼片等

Product Size: 43.7 x 53, 58 x 68mm

The product is to produce based on the
buyer's specified specifications (One product size
only for one machine, extra size optional.)

Max. Speed : 60pcs/min

According to the material used & product size.

Motor : 1hp x 1

Heater : 1.2kw

HMI : Color 8.4"

Dimensions : L2400 x W1000 x H2000mm

N.W. : 980kgs



Product Size : 100 x 100 ~ 100 x 300mm

The product is to produce based on the buyer's specified specifications (One product size only for one machine, extra size optional.)

Max. Speed : 60pcs/min

According to the material used & product size.

Motor : 2hp x 1

Heater : 3.2kw

Dimensions : L3600 x W1200 x H2300mm

N.W. : 1900kgs

DC-312-P

Paraffin Gauze Dressing Making Machine

燙傷紗布浸藥製造機

- Tension of material is controlled automatically and mechanically.
- It can be adjusted by hand-wheel when positioning of product needs to be corrected.
- Plaster cutting is done by cutting roller.
- Sealing and cutting, etc. are done by push- punch- type cutter.
- Positioned cutting can be done by detecting the printing mark on packing paper sensed by photoelectric.
- Machine will automatically stop as soon as running out of material is detected by auto sensor.
- Machine designed in horizontal position to facilitate the operating for production. And it is easy to change for making different specification of products and also very easy to do regular maintenance.



CM-160

Tab Electrode Making Machine

電極片製造機



- Tension of material is controlled automatically by LOADCELL.
- A number of servo motors on the machine are precisely synchronized for revolving.
- HMI (Human Machine Interface) and touch panel adopted on this machine make positioning of product much easier.
- Machine will automatically stop as soon as running out of material is detected by auto sensor.
- Waste after perforating are smoothly collected and sucked into the drum by pump to achieve better production process.
- Perforating, shaping and sealing, etc. are done by cutting roller. And products are possible to be made in various shapes.
- Machine designed in upright position to facilitate the operating for production. And it is easy to change for making different specification of products and also very easy to do regular maintenance.

CM-146

Tab Electrode Making Machine

電極片製造機



Taiwan Patent No. M480435

The product is to produce based on the buyer's specified specifications (One product size only for one machine, extra size optional.)


Max. Speed : 60pcs/min (4pcs/strip=15strips)
According to the material used & product size.

Motor : 1hp x 4, 1/2hp x 2

HMI : Color 8.4"

Dimensions : L3400 x W1100 x H2200mm

N. W. : 1100kgs



Product Size : 20 x 34mm, 23 x 34mm

The product is to produce based on the buyer's specified specifications (One product size only for one machine, extra size optional.)

Max. Speed : 20m/min


According to the material used & product size.

Motor : 1hp x 4

HMI : Color 8.4"

Dimensions : L2700 x W1100 x H2300mm

N.W. : 1250kgs



**Product Size : 214 x 105mm (single / pair)
136 x 168mm (pair)**

The product is to produce based on the buyer's specified specifications (One product size only for one machine, extra size optional.)

Max. Speed : 40pcs/min

According to the material used & product size.

Motor : 1hp x 3, 1/2hp x 2

HMI : Color 8.4"

Dimension : L2900 x W1100 x H2300mm

N. W. : 1400kgs



CM-152

Tab Electrode Making Machine
電極片製造機

Product Size : 48 x 48mm

The product is to produce based on the buyer's specified specifications (One product size only for one machine, extra size optional.)

Max. Speed : 60pcs/min

According to the material used & product size.

Motor : 1hp x 3, 1/2hp x 7

HMI : Color 8.4"

Dimension : L3600 x W1100 x H2300mm

N. W. : 2200kgs



CM-151

Tab Electrode Making Machine

電極片製造機

- Tension of material is controlled automatically by LOADCELL.
- A number of servo motors on the machine are precisely synchronized for revolving.
- HMI (Human Machine Interface) and touch panel adopted on this machine make positioning of product much easier.
- Machine will automatically stop as soon as running out of material is detected by auto sensor.
- Rolling type cutter for shape cutting and cutting. etc. which will promote the efficiency of running the production.
- Machine designed in upright position to facilitate the operating for production. And it is easy to change for making different specification of products and also very easy to do regular maintenance.



Taiwan Patent No. M506700 , M513104
China Patent No. ZL201520346186.6 , ZL201420715301.8



建志機械有限公司
COLOSSAL CAREER 台灣新北市24944八里區忠孝路408號

Colossal Career Machinery Co., Ltd.

No. 408 Chunghsiao Rd., Bali Dist., New Taipei City, Taiwan

Zip Code: 24944

Tel: +886-2-8630-4235

Fax: +886-2-8630-4237

ccmcl@ms10.hinet.net

www.ccmcl.com.tw

